

Upper Stage (US)



Instrument Unit (Modern Electronics)

NASA Design Team



Helium Pressurization Bottles

Common Bulkhead

Propellant Load: 138 mT (304K lbm)

Total Mass: 156 mT (344K lbm)

Dry Mass: 16.3 mT (36K lbm)

Dry Mass (Interstage): 4.1 mT (9K lbm)

Length: 25.6 m (84 ft) **Diameter:** 5.5 m (18 ft)

LOX Tank Pressure: 50 psig LH₂ Tank Pressure: 42 psig

Al-Li Orthogrid Tank Structure

LH₂ Tank

LOX Tank

Ullage Settling Motors

Feed Systems


Roll Control System

Thrust Vector Control

Composite Interstage

US Avionics





The Upper Stage Avionics will provide:

- Guidance, Navigation, and Control (GN&C)
- Command and data handling
- Pre-flight checkout

Instrument Unit Avionics

NASA Design Team



Avionics Mass: 1.1 mT (2,425 lbm) **Electrical Power:** 5,145 Watts

Aft Skirt Avionics
Interstage Avionics
Thrust Cone Avionics

What Progress Have We Made?



Programmatic Milestones

- Upper Stage Safety Reviews
 - Constellation Safety and Engineering Review Panel reviews
- Upper Stage Design Reviews
 - System Requirements Review
 - System Definition Review
 - Preliminary Design Review
- Contracts awarded
 - Upper Stage Production
 - Instrument Unit Acquisition

Technical Accomplishments

- 3D Model-Based Design and Production
- System and Process Development
 - Manufacturing
 - Avionics and Software
- Advanced Component Development
 - Main Propulsion Systems
 - Thrust Vector Control Systems
 - Reaction Control System
 - Structures and Thermal Systems
 - Ullage Settling Motor Systems


Upper Stage

3D CAD Model-Based Design and Production



CAD Model Standard

- Single source of engineering
- Interface management
- Electronic design, checking and release
- 3D Models and DELMIA software support Production
 - Tooling Design
 - Process development
 - Electronic floor instructions
 - Supports Boeing
 Manufacturing Execution
 Software






PROCESS AND SYSTEM DEVELOPMENT

Ares I Upper Stage


Manufacturing and Process Development





Weld Tool Development





Robotic Weld Tool



Friction Stir Weld (FSW) of two sample Space Shuttle External Tank domes gores

- Manufacturing Demonstration at MSFC
 - Dome Development
 - Common Bulkhead Fabrication demonstrations
 - Barrel Panel Development
 - Thermal Protection System (TPS) Development
- ◆ The Robotic Weld Tool, the largest welder of its kind in the United States, will be used to develop the manufacturing techniques required to fabricate the tanks of the Ares I US.



US Avionics and Software Development





Lithium-ion Cell Testing

These tests are being performed to provide data in support of thermal model development for the battery assemblies.

US Flight Software Development Facility

Software Development Facilities for US Flight Software (FSW) for Flight Computer and Command/Telemetry Computer.





US Risk Reduction Laboratory

Four upgraded Network Element Cards were successfully integrated into a quad-voting architecture computer test bed and run through initial boot and built-in-test for the US Risk Reduction Laboratory.

Logistics and Operations Systems



- **Integrated Logistics supports Design Process**
 - Supportability Analysis for each design cycle
- Human Engineering Analysis developed
 - Physical Mock-Ups in place and used for analysis
 - Digital Mock-Ups developed
- Maintenance Concepts developed
- Availability and Cost Models developed



Facility and Transportation Systems



Digital Mock Up

Design Demonstration Units - IU and Aft Skirt



COMPONENT DEVELOPMENT

Ares I Upper Stage


7629_UpperStage

Advanced Component Development

NASA

Advanced Development Activities

- Ullage Settling Motors (Heavy Weight Motor Test, Igniter Test)
- MPS (Cryogenic-Regulator, Pre-valve, and Vent /Relief Valve Test)
- TVC (Bread-board system test and full 2-axis Rig Testing)
- RCS (Thrusters, valves, regulators, and Integrated Test)
- Structures (Panel Test, Integrated Test, Thermal and Purge)





MPS Pre-Valve on the Test Stand





RoCS Thruster Valve

Current US Development Testing



Forming test on 52" x 52" Orthogrid and Isogrid panels Results demonstrated the ability to form AL-Li panels to the US diameter



Small panel buckling tests Used to anchor analytical modeling techniques



Shock Characterization

Used to improve prediction of separation shock transmission



Purge and Haz Gas Testing (GRC)

> Used to improve modeling of the purge system



Range Safety Linear-Shaped Charge (LSC) testing


> Determined correct standoff for best tank wall cut depth; Determines how LSC is mounted in Systems Tunnel



Umbilical Plate Testing (KSC)

Quick Disconnect performance at anticipated rotational angle; Results of the test showed the need to modify the ground side of the umbilical plate





Conclusion

- Building on the heritage of the Apollo and Space Shuttle Programs, the Ares I US team is utilizing extensive lessons learned to place NASA and the United States into another great era of space exploration
 - Engineering Rigor
 - Materials and Processes
- The NASA Design Team is using the best from the past along with State of the Art Engineering and Manufacturing Processes
 - Advanced 3D Model-Based and Production
 - Lean Manufacturing Techniques
- NASA and Boeing US teams are now integrated, working together, and making good progress
 - Safety First
 - Performance
 - Affordability

"This Nation has tossed its cap over the wall of space, and we have no choice but to follow it."

-- President John F. Kennedy, 1962



